

Building product declaration 2015

according to BPD associations' standardised format eBVD2015

Damper manual 3 - DALU

1. BASIC DATA

Document data

Id:

A-7300009-00795-0-269

Version:

1

Created:

2021-01-27 09:23:04

Last saved:

2021-02-23 18:17:21

Changes relates to:

Damper manual 3 - DALU

Article name:

Damper manual 3 - DALU

Article No/ID concept

Article identity: GTIN

7319661013117, 7319661013292, 7319661013315, 7319661013322, 7319661013339, 7319661013346, 7319661013360

Product group/Product group classification

Product group system	Product group id
BK04	21001
BSAB96	QJ

Article description:

Manual damper for circular duct system with external insulation and an outer sheet metal shell for lower sound radiation to the surroundings. Assessments at Byggarubedömningen etc. are registered under the name "Spjäll manuellt 3". It is also possible to use the article name as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

Lindab Sverige AB

Company name:

Lindab Sverige AB

Organisation number:

556247-2273

Address:

Järnvägsgatan 41

Contact person:

Matilda Isaksson

E-mail:

matilda.isaksson@lindab.com

Telephone:

+46 72 353 44 61

VAT number:

SE556247227301

Website:

www.lindab.se

GLN:

DUNS:

Environmental certification system

BREEAM

BREEAM-SE

LEED 2009

LEED version 4

Miljöbyggnad (Swedish certifica

2. SUSTAINABILITY WORK

Company's certification

ISO 9001

ISO 14001

Other:

Policies and guidelines

The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including produces for ensuring the requirements

This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented

UN guiding principles for companies and human rights

ILO's eight core conventions

OECD Guidelines for Multinational Enterprises

UN Global Compact

ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping

Risk analysis

Action plan

Monitoring

Sustainability reporting guidelines:

GRI - Global Reporting Initiative

3. DECLARATION OF CONTENTS

Chemical content

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Enter which version of the candidate list has been used (Year, month, day)

The article is covered by the RoHS Directive:

No

Enter how large a proportion of the material content has been declared [%]:

100

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Is the article registered in Basta?

Yes

Other information:

Is there classification of the article?

Not applicable

For complex products, the concentration of included substances has been calculated at:

whole construction product

Enter the weight of the article:

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery	Weight% of product	
Component	Cover, blade	47.6<x<60.6	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Galvanized steel	=100	EN 10346:2015	<input type="checkbox"/>	<input type="checkbox"/>

Component	Felt	Weight% of product	
		=0.5	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Glue	Modified acrylic dispersion	<0.1	-	<input type="checkbox"/>	<input type="checkbox"/>
Non-woven	Polypropylene	>99.9	9003-07-0	<input type="checkbox"/>	<input type="checkbox"/>

Component	Insulation	Weight% of product	
		32<x<45	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Rubber	Aluminium hydroxide	0<x<35	21645-51-2	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Antimony trioxide	<1	1309-64-4	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Calcium distearate	0<x<15	1592-23-0	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Carbon black	0<x<15	1333-86-4	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Chlorinated paraffins	0<x<20	85535-86-0	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Di-isononyl phtalate	0<x<20	28553-12-0	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	DPTT	0<x<5	120-54-7	<input type="checkbox"/>	<input type="checkbox"/>

Rubber	Ethylene resin, chlorinated	0<x<25	63231-66-3	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Hydrocarbon waxes	0<x<15	8002-74-2	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	NBR Rubber	0<x<25	9003-18-3	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Paraffin waxes	0<x<15	64742-51-4	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Polyethylene glycol	0<x<25	25322-68-3	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Polyvinyl acetate	0<x<25	9003-20-7	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Polyvinylchloride	0<x<25	9002-86-2	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Soybean oil, epoxidized	0<x<5	8013-07-8	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Sulphur	0<x<5	7704-34-9	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Zinc benzenesulfinate	0<x<35	24308-84-7	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	ZMBT	0<x<15	155-04-4	<input type="checkbox"/>	<input type="checkbox"/>

Component Plastic parts **Weight% of product** =0.8

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Polyamide	=100 Comment: Not SKMTR	32131-17-2	<input type="checkbox"/>	<input type="checkbox"/>

Component Safe sealing strip, gasket **Weight% of product** =2

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Rubber	EPDM	80<x<85 Comment: Not SKMTR	25038-36-2	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Paraffin oil	15<x<20 Comment: Health test performed without remarks.	8012-95-1	<input type="checkbox"/>	<input type="checkbox"/>

Component Steel band **Weight% of product** =1

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Steel	=100 Comment: Not SKMTR	AZ SS-EN 10215	<input type="checkbox"/>	<input type="checkbox"/>

Component Washer **Weight% of product** =0.8

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Steel	Stainless steel	=100	SS 2331	<input type="checkbox"/>	<input type="checkbox"/>

4. RAW MATERIALS

Raw materials

The data provider is solely responsible for data on articles/products that have been registered in the database. The data provider and the Swedish Association of Construction Product Industries cannot be held responsible for correct information incorrectly entered into the database.

Component	Material	Transport type
	Steel	Ship
Country of raw material extraction		City of raw material extraction
Sweden		-
Country of manufacture/production		City of manufacture/production
Comment		
The steel raw material is produced at different smelting plants, mainly in the EU, according to the detailed specification of the current standard. The sheet dimensions are then adjusted at the production unit in Grevie.		

Total recycled material in the article

<input checked="" type="checkbox"/>	Is recycled material included in the article?
-------------------------------------	-----------------------------------------------

Material		
Stainless steel		
Proportion after the consumer stage	Proportion before the consumer stage	Weight/percent by weight
74,7	25,3	75 %
Comment		
About 75% recycled material are being used in the production of stainless steel.		
.....		
Material		
Steel		
Proportion after the consumer stage	Proportion before the consumer stage	Weight/percent by weight
100	0	20 %
Comment		
About 20% recycled material are being used in the production of steel.		

Renewable material

Enter proportion of renewable material in the article (short cycle, less than 10 years):

0

Enter proportion of renewable material in the article (long cycle, more than 10 years):

0

Included biobased raw material is tested according to ASTM test method D6866:

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Wood raw materials

Wood raw materials are included

Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

Does not contain type of wood or origin in CITES appendix of endangered species

The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

Climate impact (GWP100) [kg CO₂-eq]:

Ozone depletion (ODP) [kg CFC 11-eq]:

Acidification (AP) [kg SO₂-eq]:

Ground-level ozone (POCP) [kg ethene-eq]:

Eutrophication (EP) [kg (PO₄)-3-eq]:

Renewable energy [MJ]:

Non-renewable energy [MJ]:

If calculation has been made in Green Guide, enter which rating:

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

Country of final manufacture: Sweden/ Czech Republic

6. DISTRIBUTION

Distribution of finished article

Does the supplier use Retursystem Byggpall?

Yes

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Förpacknings & Tidningsinsamlingen

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. . Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

Yes

Specify

To prevent soiling and oxidation, the product should be stored protected from the weather. See Lindab's product catalogue for more information.

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

>50 years

Comment:

Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively. See Lindab's product catalogue for more information.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

If yes, enter labelling (G to A, A+, A++, A+++):

Not applicable

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Yes

Specify:

The parts can easily be separated

Does the article require special measures for protection of health and environment in demolition/disassembly?

No

Specify:

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

The entire product can be reused.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

~97% of the material can be recycled.

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Heat recovery occurs at smelter.

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Yes

Specify:

Should be recycled according to recommended waste code.

Waste code for the delivered article when it becomes waste

170203 - 03 Plast.

170405 - 05 Järn och stål.

170407 - 07 Blandade metaller.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

- The article is not intended for indoor use
- The article does not produce any emissions
- Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

Noise

Electrical field

Magnetic fields

Can the article give rise to own noise?

Can the article give rise to electrical fields?

Can the article give rise to magnetic fields?

No

No

No

Value:

Value:

Value:

Unit:

Unit:

Unit:

Measuring method:

Measuring method:

Measuring method:

Paints and varnishes

- The article is resistant to fungi and algae in use in wet areas

Emissions

The article produces the following emissions in intended use:

Other information