

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Lindab Mastic Silicone - transparent

**Product no.**

-

**REACH registration number**

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Sealant.

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Lindab AB  
Järnvägsgatan 41, Grevie  
SE 269 82 Båstad

**Contact person****E-mail**

ventilation@lindab.com

**SDS date**

2017-10-11

**SDS Version**

2.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

### 2.2. Label elements

**Hazard pictogram(s)**

-

**Signal word**

-

**Hazard statement(s)**

-

**Safety statement(s)**

General -  
Prevention -  
Response -  
Storage -  
Disposal -

**Identity of the substances primarily responsible for the major health hazards**

-

According to EC-Regulation 2015/830

### 2.3. Other hazards

-

#### ▼ Additional labelling

Contains 3-aminopropyltriethoxysilane. May produce an allergic reaction. (EUH208). Safety data sheet available on request. (EUH210)

#### Additional warnings

-

#### VOC

-

## SECTION 3: Composition/information on ingredients

### ▼ 3.1/3.2. Substances/Mixtures

NAME:	Distillates (petroleum), hydrotreated middle
IDENTIFICATION NOS.:	CAS-no: 64742-46-7 EC-no: 265-148-2 Index-no: 649-221-00-X
CONTENT:	15 - <25%
CLP CLASSIFICATION:	Asp. Tox. 1 H304

NAME:	3-Aminopropyl(methyl)silsesquioxane, ethoxy-termineret
IDENTIFICATION NOS.:	CAS-no: 128446-60-6
CONTENT:	2.5 - <5%
CLP CLASSIFICATION:	Skin Irrit. 2, Eye Irrit. 2, Flam. Liq. 3 H315, H319, H226

NAME:	3-aminopropyltriethoxysilane
IDENTIFICATION NOS.:	CAS-no: 919-30-2 EC-no: 213-048-4 REACH-no: 01-2119480479-24-0001 Index-no: 612-108-00-0
CONTENT:	0.25 - <1%
CLP CLASSIFICATION:	Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Eye Dam. 1 H302, H314, H317, H318

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

ATEmix(inhale, dust/mist) > 20  
ATEmix(oral) > 2000  
N acute (CAT 1) Sum =  $\sum(C_i/M(\text{acute})^i * 25) = 0,007968 - 0,011952$

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Bring the person into fresh air and stay with him.

#### ▼ Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

#### ▼ Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure to flush under the upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or

According to EC-Regulation 2015/830

choking on vomited material.

#### **Burns**

Not applicable

#### **4.2. Most important symptoms and effects, both acute and delayed**

This product contains substances that may trigger an allergic reaction to predisposed persons.

#### **▼ 4.3. Indication of any immediate medical attention and special treatment needed**

Nothing special

#### **Information to medics**

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

#### **▼ 5.2. Special hazards arising from the substance or mixture**

Nothing special

#### **▼ 5.3. Advice for firefighters**

No specific requirements.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

#### **6.2. Environmental precautions**

No specific requirements.

#### **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### **6.4. Reference to other sections**

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### **Storage temperature**

To be stored cool and dry

#### **7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

##### **OEL**

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

##### **DNEL / PNEC**

No data available

#### **8.2. Exposure controls**

Control is unnecessary if the product is used as intended.

##### **General recommendations**

According to EC-Regulation 2015/830

Smoking, eating and drinking are not allowed in the work premises

#### Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

#### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

#### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

#### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

Not relevant if the room is well ventilated. If used in small and very badly ventilated rooms a respirator may be used.

#### Skin protection

No specific requirements.

#### Hand protection

When applying the sealant with a caulking gun and when finishing with a joint nail, work can be carried out without gloves if skin contact is avoided. Recommended: Butyl/nitrile rubber. Breakthrough time: Follow the manufacturer's instructions

#### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### ▼ 9.1. Information on basic physical and chemical properties

Form	Pasta
Colour	Transparent
Odour	Characteristic
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	No data available.
Density (g/cm <sup>3</sup> )	0,99

#### Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

#### Data on fire and explosion hazards

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

#### Solubility

Solubility in water	Insoluble
n-octanol/water coefficient	No data available.

According to EC-Regulation 2015/830

## 9.2. Other information

Solubility in fat (g/L)

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### ▼ 10.3. Possibility of hazardous reactions

Nothing special

### ▼ 10.4. Conditions to avoid

Nothing special

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance	Species	Test	Route of exposure	Result
Distillates (petroleum), hydro...	Rabbit	LD50	Dermal	>3.160 mg/kg
Distillates (petroleum), hydro...	Rat	LC50	Inhalation	>5.266 mg/l
Distillates (petroleum), hydro...	Rat	LD50	Oral	>5.000 mg/kg

#### ▼ Skin corrosion/irritation

No data available.

#### Serious eye damage/irritation

No data available.

#### Respiratory or skin sensitisation

This product contains substances that may trigger an allergic reaction to predisposed persons.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

#### ▼ Long term effects

Nothing special

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance	Species	Test	Duration	Result
Distillates (petroleum), hydro...	Fish	LC50	96 h	>1.028 mg/l
Distillates (petroleum), hydro...	Crustacean	LC50	48 h	> 3.193 mg/l

### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
Distillates (petroleum), hydro...	Yes	No data available	No data available

### 12.3. Bioaccumulative potential

According to EC-Regulation 2015/830

Substance	Potential bioaccumulation	LogPow	BCF
No data available.			

#### 12.4. Mobility in soil

No data available

#### ▼ 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### ▼ 12.6. Other adverse effects

Nothing special

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

##### Waste

EWC code

08 04 10

waste adhesives and sealants other than those mentioned in 08 04 09

##### Specific labelling

-

##### Contaminated packing

No specific requirements.

### SECTION 14: Transport information

#### 14.1 – 14.4

Not dangerous goods according to ADR, IATA and IMDG.

##### ADR/RID

14.1. UN number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

Notes

-

Tunnel restriction code

-

##### IMDG

UN-no.

-

Proper Shipping Name

-

Class

-

PG\*

-

EmS

-

MP\*\*

-

Hazardous constituent

-

##### IATA/ICAO

UN-no.

-

Proper Shipping Name

-

Class

-

PG\*

-

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

-

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

-

#### Demands for specific education

-

#### Additional information

-

#### Sources

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

EC regulation 1907/2006 (REACH).

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

#### ▼ Full text of H-phrases as mentioned in section 3

H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H314 - Causes severe skin burns and eye damage.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

#### The full text of identified uses as mentioned in section 1

-

#### Additional label elements

-

#### Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of physical hazards has been based on experimental data.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

#### The safety data sheet is validated by

Robert Pedersen

#### Date of last essential change (First cipher in SDS version)

2016-12-07

#### Date of last minor change (Last cipher in SDS version)

2016-12-07