

1. COMPANY INFORMATION

Lindab Sverige AB

Company name:

Lindab Sverige AB

Organisation number:

556247-2273

Address:

Dolkvägen 16

Contact person:

Kundtjänst

E-mail:

kundtjanst.ventilation@lindab.com

Telephone:

+46 10 14 64 100

VAT number:

Website:

www.lindab.com

GLN:

7300009-00795-0

DUNS:

Company was last saved

2024-08-30 05:56:46

Company's certification

 ISO 9001 ISO 14001

Other:

Policies and guidelines

 The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including procedures for ensuring the requirements This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented

 UN guiding principles for companies and human rights ILO's eight core conventions OECD Guidelines for Multinational Enterprises UN Global Compact ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

- Mapping
- Risk analysis
- Action plan
- Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

Id:

A-7300009-00795-0-367

Version:

1

Created:

2024-12-16 09:34:09

Last saved:

2024-12-16 11:53:53

Changes relates to:

Safe Silencer Insulated 12 - LRCB

Article name:

Safe Silencer Insulated 12 - LRCB

Article No/ID concept

Article identity: GTIN

7319660395085, 7319661127746, 7319661127753, 7319661127760, 7319661127777, 7319662788045, 7319662788069, 7319662788083, 7319662788106, 7319662788120, 7319662788144, 7319662788168, 7319662788182, 7319662788205, 7319662788229, 7319662788243, 7319662788267, 7319662788281, 7319662788304, 7319668539115

Product group/Product group classification

| Product group system | Product group id |
|----------------------|------------------|
| BK04 | 21002 |
| BK04 | 21098 |
| BSAB96 | QKB |

Article description:

Straight silencer with circular connection and low installation height.

LRCB dimensions makes it particularly suitable for installation above suspended ceilings or where space is otherwise limited.

Assessments at Byggarubedömningen etc. are registered under the name "Safe ljuddämpare isolerad 12". It is also possible to use the article name (LRCB) as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

Annexes

Annex

Sikacryl_Vent_188_N_BASTA_registration_https://www.bastaonline.se/foretag/35-sika-sverige-ab/artiklar/470848-sikacryl-vent-188-n

PAROC_rewool_information_https://www.paroc.com/sv-se/campaigns/rewool

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

The data provider is solely responsible for data on articles/products that have been registered in the database. The data provider and the Swedish Association of Construction Product Industries cannot be held responsible for correct information incorrectly entered into the database.

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2024-11-07

The article is covered by the RoHS Directive:

No

Enter the weight of the article:

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

| Phase | Delivery | Weight% of product | |
|-----------|----------|--------------------|--|
| Component | Body | =82.03 | |

Comment

| Material | Substance | Concentration interval (%) | EG/CAS/Alternative designation | Other substance properties |
|----------|------------------|----------------------------|--------------------------------|----------------------------|
| | Galvanized steel | =100 | SS-EN 10346 | |

| | | | |
|-----------|------------|--------------------|--------|
| Component | Insulation | Weight% of product | =16.84 |
|-----------|------------|--------------------|--------|

Comment

| Material | Substance | Concentration interval (%) | EG/CAS/Alternative designation | Other substance properties |
|-----------------------|--|----------------------------|--------------------------------|---|
| Glass wool insulation | | =100 | | |
| Glass wool insulation | Anti-dust, abnitsstatic and hydrophobic additive | <0.75 | Proprietary | Comment: The insulation meets BASTA criteria. |
| Glass wool insulation | Glass Mineral Wool | >99 | 926-099-9 | Comment: No classified or hazardous substances added. |

| | | | |
|-----------------------|--------------------|------|-------------|
| Glass wool insulation | Possible colourant | <0.5 | Proprietary |
|-----------------------|--------------------|------|-------------|

Comment: No classified or hazardous substances added.

| | | | |
|------------------|----------------|---------------------------|-------|
| Component | Polyester foil | Weight% of product | =0.44 |
|------------------|----------------|---------------------------|-------|

Comment

| Material | Substance | Concentration interval (%) | EG/CAS/Alternative designation | Other substance properties |
|--|-----------|----------------------------|--------------------------------|----------------------------|
| Polyester foil | | =100 | | |
| Polyester foil | Additives | <0.9 | Proprietary | |
| Comment: The additives (0,9%) do not contain any intentionally added hazardous or classified substances according to supplier. | | | | |
| Polyester foil | PBT | 7<=x<=15 | 26062-94-2 | |
| Polyester foil | PET | 85<=x<=93 | 25038-59-9 | |

| | | | |
|------------------|--------------------|---------------------------|-------|
| Component | Safe sealing strip | Weight% of product | =0.48 |
|------------------|--------------------|---------------------------|-------|

Comment

| Material | Substance | Concentration interval (%) | EG/CAS/Alternative designation | Other substance properties |
|---|--------------|----------------------------|--------------------------------|----------------------------|
| Rubber | | =100 | | |
| Rubber | EPDM | 80<=x<=85 | Proprietary. | |
| Comment: No classified or hazardous substances added. | | | | |
| Rubber | Paraffin oil | 15<=x<=20 | 8012-95-1 | |
| Comment: Health test performed without remarks. | | | | |

| | | | |
|------------------|---------|---------------------------|-------|
| Component | Sealant | Weight% of product | =0.02 |
|------------------|---------|---------------------------|-------|

Comment Registered in BASTA by supplier. Meets all criteria.

| Material | Substance | Concentration interval (%) | EG/CAS/Alternative designation | Other substance properties |
|--------------------|-----------|----------------------------|--------------------------------|----------------------------|
| Sikacryl Vent 188N | | =100 | | |

| | | | |
|------------------|------------|---------------------------|-------|
| Component | Steel band | Weight% of product | =0.19 |
|------------------|------------|---------------------------|-------|

Comment

| Material | Substance | Concentration interval (%) | EG/CAS/Alternative designation | Other substance properties |
|----------|-----------|----------------------------|--------------------------------|----------------------------|
| | Steel | =100 | AZ SS-EN 10215 | |

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Raw materials

Total recycled material in the article



Is recycled material included in the article?

Material

Steel

Share of waste (from own production)

0

Share of waste (from other people's production)

0

Recycled material (treated)

100

Recycled material

0

Weight/percent by weight

20 %

Comment

About 20% recycled material are being used in the production of steel.

Renewable material

Enter proportion of renewable material in the article

0



Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material

For this product, there has been no withdrawal of virgin fossil material

No

If yes, please indicate what percentage of the material in question (or item?)

Wood raw materials

Wood raw materials are included

Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

Does not contain type of wood or origin in CITES appendix of endangered species

Which version of CITES has been used for the check?

The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

The information refer to "gate to gate", inflows (raw materials, inputs, energy, etc.) for the registered product into the manufacturing unit, and outflows (emissions and waste) from it and relates to unit of product 1 kg.

Country of final manufacture: Sweden

Energy used in the manufacturing process of the product is electricity from renewable sources.

Transport: <99% truck, deliveries to the customer/branch, <1% electric forklift.

Climate impact from internal transports: CO2 0,0025 kg, CH4 <0,0001 kg and N2O <0,0001 kg.

Emissions to air, water or soil from the manufacture of the product, climate impact from operations: carbon dioxide equivalents (CO2-e) ≈ 2,15 kg per kilo product (includes energy/waste/scrap/travels)

The production itself causes no emissions to air, water or land.

Residual products from the manufacture of the product: <5% steel scrap, 100% is recycled, waste code 17 04 05. <1% insulation scrap, 100% is recycled according to Paroc REWOOL. All waste is taken care of by a carrier with the necessary permits. No waste is exported.

For information about raw materials, distribution, waste etc., see the other sections.

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Näringslivets producentansvar.

Can packaging/packaging be reused?

Yes

Can packaging/packaging be recycled?

Yes

Can packaging/packaging be energy recycled?

Yes

Does the supplier use Retursystem Byggpall?

No

Other information:

If possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable material.

Shipments of manufactured goods are mainly transported by truck to the customer/branch.

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

Yes

Specify

To prevent soiling and oxidation, the product should be stored protected from the weather.
See Lindab's product catalogue for more information.

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

The product is normally delivered in standard sizes and standard lengths.
There is a special instruction regarding fire resistance for assembly, measurement and adjustment for this product.

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

>50 years

Comment:

Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively.
There is a special instruction for the care of this product, see Lindab's product catalogue for more information.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

If yes, enter marking (G to A)

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Yes

Can the product be separated into pure material types for recycling?

Not applicable

Specify:

The materials can be separated from each other and should be recycled according to local waste legislations: steel; rubber; insulation.

Does the article require special measures for protection of health and environment in demolition/disassembly?

Yes

Specify:

Appropriate protective equipment should be used to minimize risk of injury and discomfort. When dealing with insulation, it is recommended to use protective gloves, safety glasses and other suitable respiratory protection. Insulation can cause mechanical irritation upon contact with skin. It is therefore recommended to rinse skin that has come in contact with the material in cold water to reduce potential side effects.

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

The entire product can be reused.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Steel is 100% recyclable.
Insulation should be recycled using Paroc REWOOL (<https://www.paroc.com/sv-se/campaigns/rewool>).

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Heat recovery occurs at smelter.

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Yes

Specify:

Product should be recycled according to local waste legislations.
The insulation should be recycled using Paroc REWOOL. See <https://www.paroc.com/sv-se/campaigns/rewool> for more information.

Waste code for the delivered article when it becomes waste

170405 - 05 Järn och stål.

170604 - 04 Andra isolermaterial än de som anges i 17 06 01 och 17 06 03.

191204 - 04 Plast och gummi.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

The article is not intended for indoor use

The article does not emit any substances

Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

Noise

Can the article give rise to own noise?

No

Value:

Unit:

Measuring method:

Electrical field

Can the article give rise to electrical fields?

No

Value:

Unit:

Measuring method:

Magnetic fields

Can the article give rise to magnetic fields?

No

Value:

Unit:

Measuring method:

Paints and varnishes

The article is resistant to fungi and algae in use in wet areas

Emissions

The article produces the following emissions in intended use:

Other information