

Building product declaration 2015

according to BPD associations' standardised format eBVD2015

2-way control valve

1. BASIC DATA

Document data

ld:	Version:		
A-7300009-00795-0-230	1		
Created:	Last saved:		
2019-05-07 09:11:39	2020-10-14 10:57:01		
Changes relates to:			
2-way control valve			
Article name:			
2-way control valve			
Article No/ID concept			
Article identity: GTIN 70JGLB10, 70JGLB12, 70JGLB15, 71JGLB12, 71JGLB15, LinFlow-A-10, LinFlow-A-12, LinFlow-A-15, LinFlow-S-12, LinFlow-S-15			
Product group/Product group classification			
Product group system P	roduct group id		
Product group system P BK04 2	001		
Product group system P BK04 2			
Product group system P BK04 2	001		
Product group system BK04 BSAB96 PS	to be controlled by a thermoelectrically or electronically actuator.		
Product group system BK04 BSAB96 Article description: Two ways thermostatic control valve for cooling and heating with pre-setting Fast push fitting connections. Brass finish. Assessments at Byggvarubedömningen etc. are registered under the name	to be controlled by a thermoelectrically or electronically actuator.		
Product group system BK04 2' BSAB96 Article description: Two ways thermostatic control valve for cooling and heating with pre-setting Fast push fitting connections. Brass finish. Assessments at Byggvarubedömningen etc. are registered under the name search criteria.	to be controlled by a thermoelectrically or electronically actuator. 2-vägs kontrollventil". It is also possible to use the article name as		
Product group system BK04 2** BSAB96 Article description: Two ways thermostatic control valve for cooling and heating with pre-setting Fast push fitting connections. Brass finish. Assessments at Byggvarubedömningen etc. are registered under the name search criteria. Declarations of performance:	to be controlled by a thermoelectrically or electronically actuator. 2-vägs kontrollventil". It is also possible to use the article name as		
Product group system BK04 2' BSAB96 Article description: Two ways thermostatic control valve for cooling and heating with pre-setting Fast push fitting connections. Brass finish. Assessments at Byggvarubedömningen etc. are registered under the name search criteria. Declarations of performance: Not applicable	to be controlled by a thermoelectrically or electronically actuator. 2-vägs kontrollventil". It is also possible to use the article name as		
Product group system BK04 2' BSAB96 Article description: Two ways thermostatic control valve for cooling and heating with pre-setting Fast push fitting connections. Brass finish. Assessments at Byggvarubedömningen etc. are registered under the name search criteria. Declarations of performance: Not applicable Other information:	to be controlled by a thermoelectrically or electronically actuator. 2-vägs kontrollventil". It is also possible to use the article name as		
Product group system BK04 22 BSAB96 Article description: Two ways thermostatic control valve for cooling and heating with pre-setting Fast push fitting connections. Brass finish. Assessments at Byggvarubedömningen etc. are registered under the name search criteria. Declarations of performance: Not applicable Other information: Lindab Sverige AB	to be controlled by a thermoelectrically or electronically actuator. 2-vägs kontrollventil". It is also possible to use the article name as Declaration of performance number:		

Järnvägsgatan 41	Matilda Isaksson			
E-mail:	Telephone:			
matilda.isaksson@lindab.com	+46 72 353 44 61			
VAT number:	Website:			
SE556247227301	www.lindab.se			
GLN:	DUNS:			
Environmental certification system				
BREEAM BREEAM-SE LEED 2009	LEED version 4 Miljöbyggnad (Swedish certifica			
. SUSTAINABILITY WORK	V IVIIIJODYGGITAU (SWEdISH CEHINCA			
Company's certification				
✓ ISO 9001 ✓ ISO 14001				
V				
Other:				
Policies and guidelines				
The company has a code of conduct/policy/guidelines for dealing wit the requirements	h social responsibility in the supplier chain, including produces for ensuring			
This is third-party audited				
If yes, which if the following guidelines have you affiliated to or managemen	nt system you have implemented			
UN guiding principles for companies and human rights				
ILO's eight core conventions				
OECD Guidelines for Multinational Enterprises				
✓ UN Global Compact				
√ ISO 26000				
Other policy guidelines				
Management system				
If you have a management system for corporate social responsibility, what	out of the following is included in the work?			
✓ Mapping				
Risk analysis				
Action plan				
Monitoring				
Sustainability reporting guidelines:				
GRI - Global Reporting Initiative				

3. DECLARATION OF CONTENTS

Chemical content

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".					
Is there a safety data	sheet for the article?	Is	there classification of the article	?	
Not applicable		N	ot applicable		
Enter which version o	f the candidate list has been use		or complex products, the concer een calculated at:	ntration of included	d substances has
		w	hole construction product		
The article is covered	by the RoHS Directive:	E	nter the weight of the article:		
No					
Enter how large a pro]:	portion of the material content h	as been declared [%			
100					
If the article contains i	nanomaterials deliberately adde	d to obtain a particular func	tion, enter these here:		
The product does not	contain deliberately added nand	omaterial			
Is the article registere	d in Basta?		nter the proportion of volatile org		[g/litre], applies only
Yes			codiante, pante, varnorios and	udilooivoo.	
Other information:					
Standard finish: Color	coated.				
Article and/or	sub-components				
Phase	Delivery				
Component	Body		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Brass	=76.4	CuZn40Pb2		
-		Comment: EN 12165			
Component	Clip		Weight% of product		
Component	Olip		Weight % of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Actel	=0.37	105-57-7		
	Actel	=0.37	105-57-7		
Component	Handwheel	=0.37	Weight% of product		
Component		=0.37			
·		Concentration interval (%)		Candidate list	Phasing-out substance
Comment	Handwheel	Concentration	Weight% of product EG/CAS/Alternative	Candidate	
Comment Material	Handwheel Substance	Concentration interval (%)	Weight% of product EG/CAS/Alternative designation	Candidate	
Comment Material	Handwheel Substance	Concentration interval (%)	Weight% of product EG/CAS/Alternative designation 9003-56-9	Candidate list	

	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
		Brass	=16.6	CuZn39Pb3		
			Comment: EN 12164			
	Component	O-rings		Weight% of product		
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
		EPDM	=0.16	25034-71-3		
			Comment: Does not co	ntain paraffin oil.		
	Component	Presetting knob, ring		Weight% of product		
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Plastic	Nylon	=0.55	25038-54-4		
	Component	Spring		Weight% of product		
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
		Stainless steel	=0.4	AISI 302		
	Component	Stem		Weight% of product		
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
		Stainless steel	=2.2	AISI 303		
4.	RAW MA	TERIALS				
	Raw materials	s				
	Total recycle	d material in the artic	ele			
Is recycled material included in the article?						

Renewable material	
Enter proportion of renewable material in the article (short cycle, less than 10 years):	Enter proportion of renewable material in the article (long cycle, more that 10 years):
0	0
Included biobased raw material is tested according to ASTM test	method D6866:
Is there supporting documentation for the raw materials for third-party c recycling processes or similar (for example BES 6001:2008, EMS certif	ertified system for control of origin, raw material extraction, manufacturing or icate, USGBC Program)? If yes, enter system(s):
No	
Wood raw materials	
Wood raw materials are included	Included wood raw material is certified
How large a proportion is certified [%]?	
What certification system has been used (for example FSC, CSA, SFI v	vith CoC, PEFC)?
Reference number:	
Enter logging country for the wood raw material and that following criter	ria have been met. Country of logging:
Does not contain type of wood or origin in CITES appendix of en	dangered species
The timber has been logged legally and there is certification for t	
ENVIRONMENTAL IMPACT	
	e article, production phase module A1-A3 under E
Has environmental product declaration been drawn up according	
Tras environmental product declaration been drawn up according	to EN 13004 of 130 14023 for the anticle:
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:
If there is environmental product declaration or other life cycle assessm from a life cycle perspective:	ent, describe how the environmental impact of the article is taken into account
Country of final manufacture: Denmark	

6. DISTRIBUTION

Distribution of finished article

Does the supplier use Retursystem Byggpall?	Does the supplier apply any system with multiple-use packaging for the article?		
Yes	No		
Does the supplier take back packaging for the article?	Is the supplier affiliated to a system for product responsibility for packaging?		
No	Yes		
If yes, which packaging and which system?			
Förpacknings & Tidningsinsamlingen			
Other information:			
If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.			
CONSTRUCTION PHASE			
Construction phase			
Does the article make special requirements in storage?			
Yes			
Specify			
To prevent soiling and oxidation, the product should be stored protected See Lindab's product catalogue for more information.	I from the weather.		
Does the article make special requirements for surrounding building products?			
No			
Specify			

Other information:

7.

8. USE PHASE

Use phase

9.

Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Estimated technical service life for the article:	
10-15 years	
Comment:	
Lifetime depends on the environment where the product is being used.	
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
Not applicable	
Other information:	
DEMOLITION	
Demolition	
Is the article prepared for disassembly (dismantling)?	
Yes	
Specify:	
Some parts can be separated.	
Does the article require special measures for protection of health and environment in demolition/disassembly?	
No	
Specify:	
Other information:	

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
No
Is reuse possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
The entire product can be reused.
Is material recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
<99% of the material can be recycled.
Is energy recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Heat recovery occurs at smelter.
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Yes
Specify:
Should be recycled according to recommended waste code.
Waste code for the delivered article when it becomes waste
170203 - 03 Plast.
170401 - 01 Koppar, brons, mässing.
170405 - 05 Järn och stål.
170407 - 07 Blandade metaller.
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

11. INDOOR ENVIRONMENT

Indoor environment

The article is not intended for indoor use			
The article does not produce any emissions			
Emissions from the article not measured			
Does the article have a critical moisture state?			
No			
If yes, state what:			
Noise	Electrical field	Magnetic fields	
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?	
No	No	No	
Value:	Value:	Value:	
Unit:	Unit:	Unit:	
Measuring method:	Measuring method:	Measuring method:	
Paints and varnishes			
The article is resistant to fungi and algae in use in wet areas			
Fmissions			

The article produces the following emissions in intended use:

Other information