

Building product declaration 2015

according to BPD associations' standardised format eBVD2015

Cleaning cover 1 - IPF, IPLR

1. BASIC DATA

Document data

Address:

ld:	Version:			
A-7300009-00795-0-41	4			
Created:	Last saved:			
2020-10-21 17:40:53	2020-10-21 18:33:22			
Changes relates to:				
Declaration of contents				
Cleaning cover 1 - IPF, IPLR				
Article name:				
Cleaning cover 1 - IPF, IPLR				
Article No/ID concept				
Article identity: GTIN 7319661001848, 7319661001879, 7319661001893, 7319661153820, 7319662788397, 7319665071724, 7319665071731, 7319665071748, 7319665071762, 7319665071793, 7319665071816, 7319665071823, 7319665071854, 7319665071878, 7319665071885, 7319665071908, 7319665071922, 7319665071946, 7319665071960, 7319665071984, 7319665072004, 7319665072011, 7319665072035, 7319667706570,				
7319667706587, 7319667706594				
Product group/Product group classification				
Product group/Product group classification	roduct group id			
Product group/Product group classification Product group system P	roduct group id			
Product group/Product group classification Product group system P BK04 21 BK04 21	002 099			
Product group/Product group classification Product group system P BK04 21 BK04 21	002			
Product group/Product group classification Product group system P BK04 21 BK04 21	002 099			
Product group/Product group classification Product group system P BK04 21 BK04 21 BSAB96 Q	002 099 _E			
Product group/Product group classification Product group system P BK04 21 BK04 21 BSAB96 QI Article description: Cleaning cover with gasket for mounting in a circular duct (IPLR) or rectange	002 099 _E			
Product group/Product group classification Product group system P BK04 21 BK04 21 BSAB96 QI Article description: Cleaning cover with gasket for mounting in a circular duct (IPLR) or rectanged Assessments at Byggvarubedömningen etc. are registered under the name	002 099 _E alar duct (IPF). "Renslucka 1". It is also possible to use the article name as search criteria.			
Product group/Product group classification Product group system BK04 BK04 BSAB96 Article description: Cleaning cover with gasket for mounting in a circular duct (IPLR) or rectangular Assessments at Byggvarubedömningen etc. are registered under the name Declarations of performance:	002 099 _E alar duct (IPF). "Renslucka 1". It is also possible to use the article name as search criteria.			
Product group/Product group classification Product group system P BK04 21 BK04 21 BSAB96 QI Article description: Cleaning cover with gasket for mounting in a circular duct (IPLR) or rectanged Assessments at Byggvarubedömningen etc. are registered under the name Declarations of performance: Not applicable	002 099 _E alar duct (IPF). "Renslucka 1". It is also possible to use the article name as search criteria.			
Product group system Product group system BK04 BK04 BSAB96 Article description: Cleaning cover with gasket for mounting in a circular duct (IPLR) or rectanged Assessments at Byggvarubedömningen etc. are registered under the name Declarations of performance: Not applicable Other information:	002 099 _E alar duct (IPF). "Renslucka 1". It is also possible to use the article name as search criteria.			

Contact person:

Järnväg E-mail:	gsgatan 41	Matilda Isaksson
E-mail:		
		Telephone:
matilda.	i.isaksson@lindab.com	+46 72 353 44 61
VAT nu	umber:	Website:
SE5562	247227301	www.lindab.se
GLN:		DUNS:
Envii	ronmental certification system	
	BREEAM BREEAM-SE LEED 2009	LEED version 4 Miljöbyggnad (Swedish certific
The Inte	n J "Stålet och miljön". Stålbyggnadsinstitutet-Jernkontoret, Stockholernational Stainless Steel Forum (ISSF), http://www.worldstainless.o	
	STAINABILITY WORK upany's certification	
Com	STAINABILITY WORK upany's certification ISO 9001 ISO 14001	
Com Other:	STAINABILITY WORK apany's certification ISO 9001 ISO 14001 Cies and guidelines	social responsibility in the supplier chain, including produces for ensuring
Com Other:	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 Cies and guidelines The company has a code of conduct/policy/guidelines for dealing with	social responsibility in the supplier chain, including produces for ensuring
Com Other: Polic If yes, w	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 Sies and guidelines The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited which if the following guidelines have you affiliated to or management	
Com Other: Polic If yes, w	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 Cies and guidelines The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited	
Com Other: Police If yes, w	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 Sies and guidelines The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited which if the following guidelines have you affiliated to or management	
Com Other: Polic If yes, w	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 Sies and guidelines The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited which if the following guidelines have you affiliated to or management UN guiding principles for companies and human rights	
Com Other: Polic If yes, w	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 ISO 14001 Cies and guidelines The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited which if the following guidelines have you affiliated to or management UN guiding principles for companies and human rights ILO's eight core conventions	
Com Other: Polic If yes, w	STAINABILITY WORK Ipany's certification ISO 9001 ISO 14001 ISO 14001 Cies and guidelines The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited which if the following guidelines have you affiliated to or management UN guiding principles for companies and human rights ILO's eight core conventions OECD Guidelines for Multinational Enterprises	

	Monitoring					
		and delice and				
	Sustainability reporting					
_	GRI - Global Reporting		NITENITO			
ა.		TION OF CO	DNIENIS			
	Chemical conte	ent				
	Enter chemical content article".	for the whole article. The cor	ncentration is calculated at	component level according to the	principle of "once	an article always an
	Is there a safety data sh	neet for the article?		Is there classification of the article	e?	
	Not applicable			Not applicable		
	Enter which version of the	he candidate list has been u		For complex products, the concer been calculated at:	ntration of included	d substances has
				component level		
	The article is covered by	y the RoHS Directive:		Enter the weight of the article:		
	No					
	Enter how large a propo	ortion of the material content	has been declared [%			
	100					
	If the article contains na	nomaterials deliberately add	ded to obtain a particular fur	nction, enter these here:		
	The product does not co	ontain deliberately added na	nomaterial			
	Is the article registered i	in Basta?		Enter the proportion of volatile org to sealants, paints, varnishes and		g/litre], applies only
	Yes			to occurre, parito, tarriorio aria		
	Other information:					
	Article and/or s	sub-components				
	Phase	Delivery				
	Component	Handle		Weight% of product	=1.4	
	Comment					
	B# - 4 - vi a l	Outhorton	Concentration	EG/CAS/Alternative	Candidate	Phasing-out
	Material	Substance	interval (%)	designation	list	substance
	Plastic	ABS	=100	9003-56-9		
	Component	Inner part		Weight% of product	=46.555	
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Glue	Acrylic	=0.0127	79-10-7		
	Glue	Butyl Acrylate	=0.0636	141-32-2		
	Glue	Ethenyl Ethanoate	=0.1528	103-11-7		
	Glue	Ethyl Acetate	=0.2866	141-78-6		
	Glue	Methyl Acrylate	=0.0127	96-33-3		
	Glue	Toluene	=0.0955	108-88-3		
	Glue	Vinyl Acetate	=0.0127	108-05-4		

Rubber	Paraffin oil	=0.446	8012-95-1	
Steel	Galvanized steel	=97.13	EN 10346	

CAS	H-phrase	Exposure
141-32-2	H226 - Flam. Liq. 3	
141-32-2	H315 - Skin Irrit. 2	
141-32-2	H317 - Skin. Sens. 1A	
141-32-2	H319 - Eye Irrit. 2	
141-32-2	H335 - STOT SE 3	
103-11-7	H315 - Skin Irrit. 2	
103-11-7	H317 - Skin. Sens. 1	
103-11-7	H335 - STOT SE 3	
141-78-6	H225 - Flam. Liq. 2	
141-78-6	H319 - Eye Irrit. 2	
141-78-6	H336 - STOT SE 3	
96-33-3	H225 - Flam. Liq. 2	
96-33-3	H302 - Acute Tox. 4	
96-33-3	H312 - Acute Tox. 4	
96-33-3	H315 - Skin Irrit. 2	
96-33-3	H317 - Skin. Sens. 1	
96-33-3	H319 - Eye Irrit. 2	
96-33-3	H332 - Acute Tox. 4	
96-33-3	H335 - STOT SE 3	
108-88-3	H225 - Flam. Liq. 2	
108-88-3	H304 - Asp. Tox. 1	
108-88-3	H315 - Skin Irrit. 2	
108-88-3	H336 - STOT SE 3	
108-88-3	H361d - Repr. 2	
108-88-3	H373 - STOT RE 2	
108-05-4	H225 - Flam. Liq. 2	
108-05-4	H332 - Acute Tox. 4	
108-05-4	H335 - STOT SE 3	
108-05-4	H351 - Carc. 2	

Component	Outer part	Weight% of product=45.3			
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Steel	Galvanized steel	=100	EN 10346		

Component	Screws	Weight% of product=6.03
-----------	--------	-------------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-ou substance
Steel	Steel	=100	SS 1312		
Component	Spring		Weight% of product	t =0.74	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-ou
Steel	Stainless steel	=100	EN 1.1141 / CK15		
	TERIALS	100	EN I.11417 GKIS		
RAW MA Raw material	TERIALS s			ort type	
RAW MA Raw material	TERIALS s	Material Steel		ort type	
RAW MA Raw material Component	TERIALS s	Material Steel	Transp	••	
RAW MA Raw material Component	TERIALS	Material Steel	Transp Ship	••	
RAW MA Raw material Component Country of raw Sweden	TERIALS	Material Steel C i	Transp Ship	ction	

Total recycled material in the article



Is recycled material included in the article?

Material Stainless steel Proportion after the consumer stage Proportion before the consumer stage Weight/percent by weight 56 19 75 % Comment About 75% recycled material are being used in the production of stainless steel.

Material			
Steel			
Proportion after the consumer stage	Proportion before	the consumer stag	Weight/percent by weight 20 %
Comment			
About 20% recycled material are being used in the	production of steel.		
L			
Renewable material			
Enter proportion of renewable material in the article than 10 years):	e (short cycle, less	Enter proportion of renev 10 years):	wable material in the article (long cycle, more than
0		0	
Included biobased raw material is tested acc	cording to ASTM test met	hod D6866:	
Is there supporting documentation for the raw materecycling processes or similar (for example BES 60			
No			
Wood raw materials			
Wood raw materials are included		Included wood rav	w material is certified
How large a proportion is certified [%]?			
What certification system has been used (for exam	ple FSC, CSA, SFI with C	CoC, PEFC)?	
Reference number:			
Enter logging country for the wood raw material an	d that following criteria ha	ve been met. Country of I	ogging:
Does not contain type of wood or origin in C	ITES appendix of endang	ered species	
The timber has been logged legally and ther	re is certification for this		

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to	o EN 15804 or ISO 14025 for the article?
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:
If there is environmental product declaration or other life cycle assessme from a life cycle perspective:	nt, describe how the environmental impact of the article is taken into account
Country of final manufacture: China	
Transport: <95% boat, deliveries from supplier, <4% deliveries to custom	er/branch.
Residual products from the manufacture of the product: <5% steel (all so	rts) scrap, 100% is recycled, waste code 17 04 07.
For information about raw materials, distribution, waste etc., see the other	er sections.

6. DISTRIBUTION

Distribution of finished article

Does the supplier use Retursystem Byggpall?

Yes

No

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

Is the supplier affiliated to a system for product responsibility for packaging?

No

Yes

If yes, which packaging and which system?

Förpacknings & Tidningsinsamlingen

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

8.

Does the article make special requirements in storage?	
Yes	
Specify	
To prevent soiling and oxidation, the product should be stored protected See Lindab's product catalogue for more information.	I from the weather.
Does the article make special requirements for surrounding building products?	
No	
Specify	
Other information:	
USE PHASE	
Use phase	
Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Estimated technical service life for the article:	
25 years	
Comment:	
Lifetime depends on the environment where the product is being used. See Lindab's product catalogue for more information.	Corrosive environments can affect the life of the product negatively.
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
Not applicable	
Other information:	

9. DEMOLITION

Demolition

	Is the article prepared for disassembly (dismantling)?
	Yes
	Specify:
	The parts can easily be separated
	Does the article require special measures for protection of health and environment in demolition/disassembly?
	No
	Specify:
	Other information:
0.	. WASTE MANAGEMENT
	Delivered article
	Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
	No
	Is reuse possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	The entire product can be reused.
	Is material recovery possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	~98% of the material can be recycled.
	Is energy recovery possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	Heat recovery occurs at smelter.
	Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
	Yes
	Specify:
	Should be recycled according to recommended waste code.
	Waste code for the delivered article when it becomes waste
	170405 - 05 Järn och stål.
	170407 - 07 Blandade metaller.

		classified as hazardous waste?	
No			
Mounted artic	:le		
Is the mounted article	classified as hazardous w	vaste?	
No			
Other informa	ation		
INDOOR	ENVIRONI	MENT	
Indoor enviro		MITIAI	
The article is no	ot intended for indoor use		
The article doe	es not produce any emission	ons	
Emissions from	n the article not measured		
Does the article have	a critical moisture state?		
No			
If yes, state what:			
Noise		Electrical field	Magnetic fields
Can the article give ris	se to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?
No		No	No
Value:		Value:	Value:
Unit:		Unit:	Unit:
Unit:		Unit:	Unit: